

ESTEEM SERIES




THE DOOR WITH MORE.

For a complete list of products, visit Steel-Craft.ca

VISION LITE & COLOUR OPTIONS

ESTEEM SERIES



WEATHERSTRIPPING

- Bottom weatherstripping: U-type arctic grade vinyl
- Section interface: arctic grade vinyl bubble-shaped weatherstrip at all section meeting rails
- Jamb: anodized or painted aluminum with two-point flexible arctic grade vinyl weatherstrip
- Header: anodized or painted aluminum with two-point flexible arctic grade vinyl weatherstrip

DOOR FACE HARDWARE

- Graduated end hinges and centre hinges made from galvanized steel
- Heavy duty rollers with 10 grade heat-treated and outer races with 10 floating ball bearings

COUNTERBALANCE SYSTEM

- Class II oil tempered ASTM A229 wire, minimum 10,000 cycle torsion springs on continuous steel shaft
- Aircraft quality galvanized lift cables with a minimum safety factor of 7 to 1

FRAMES

- Thickness: 1.8 mm/0.071"; 3 mm/0.118" at fastener locations
- Standard Top/Bottom/End Stiles: 162 mm/6.375"
- Intermediate Stiles: 76 mm/3.0"

INSULATED ALUMINUM PANEL

- 1.27 mm thick aluminum sheet material insulated and sealed to door frame

FINISH

- Anodizing applied to #17 clear anodized Architectural Class II and is in accordance with AA-M12CC22A31 (Aluminum Association) specifications. Painted product (special order) powdercoated to AAMA 2603 standards

TEMPERED GLASS, POLYCARBONATE OR INSULATED ALUMINUM PANEL

- All glazing materials sealed to door frame with butyl tape and held securely with rigid PVC snap-in mouldings

STRUTTING

- Doors over 11'-0" in width shall be reinforced with 16Ga galvanized steel "Z" brace per section
- Anodizing applied to #17 clear anodized Architectural Class II and is in accordance with AA-M12CC22A31 (Aluminum Association) specifications
- Strutting required for doors wider than 3,353 mm

TRACKS

- 50 mm or 75 mm wide galvanized steel tracks




STANDARD VISION LITES OPTIONS

Consult Steel-Craft for additional custom glass options.

GLASS

Available in tempered single pane and tempered sealed units. Glass options include Clear, Satin Privacy (Frosted), Dark Tint Clear, Dark Tint Privacy and Bronze Reflective.




THERMOCLEAR POLYCARBONATE

Available in Triple Wall 16mm. Colour options include Clear, Bronze, Blue and Green.





STANDARD ANODIZED FINISH

Additional custom anodizing colours are available, please consult factory for details.



NEW WOODGRAIN FINISH COLOUR OPTIONS



Highlight the classic feel of your home while benefitting from the durability of an aluminum garage door. These doors have a low-maintenance finish that requires no staining or painting and, unlike real wood, they will not warp, shrink, peel, or crack.


STANDARD PAINTING COLOUR OPTIONS

A full selection of custom paint colours are available, please consult factory for details.

MATTE FINISH



GLOSS FINISH




ESTEEM SERIES


The Esteem Series of aluminum doors brings a modern look to any home. These doors can be custom painted, filled with coloured glass and are available in a wide variety of sizes. Increase your curb appeal with window designs that suit your home, while benefitting from the durability of a sturdy aluminum door.

Standard Layouts


FOUR SECTION - 2 PANEL




8' x 7'



8' x 8'




9' x 7'




9' x 8'


FOUR SECTION - 3 PANEL




10' x 7'



10' x 8'




12' x 7'




12' x 8'


FOUR SECTION - 4 PANEL




14' x 7'



14' x 8'




16' x 7'




16' x 8'

FOUR SECTION - 5 PANEL



18' x 7'



18' x 8'

Vancouver
1-800-361-3667
Kelowna
1-800-880-0755
Calgary
1-800-561-9871

Edmonton
1-800-463-3667
Toronto
1-800-465-7091

**Steel-Craft
Door Products LTD**
13504 St. Albert Trail
Edmonton, Alberta
T5L 4P4
www.steel-craft.ca



THE DOOR WITH MORE.



Steel-Craft Doors are
proudly made in Canada.